



WHD-15 FULL HEIGHT SECURITY GATE

Door closer



Electric lock

Application

The WHD-15 security gate is designed for secure closure of the passageway and used for control of access at locations with high security requirements. The gate enables wheelchair access and movement of bulky items.

The gate can be used either as a stand-alone unit with an electric lock or as part of access control system.

Delivery set

- assembled gate
- electric rim lock
- door closer with fasteners

Options

- for indoor and outdoor application
- single-direction swing gate

Materials and Finishes

Corrosion protected powder coated aluminium frame. Sandpaper powder coating with pearl mica effect:



light beige








RTD-15 full height rotor turnstile with RTC-15 canopy at the main entrance of Sberbank, Tyumen, Russia



RTD-15.2 full height rotors with RTC-15R canopies at the ARNEG plant of refrigeration systems, Padua, Italy

WHD-15 FULL HEIGHT SECURITY GATE

MB-15R



MB-15D

**Application**

The MB-15 full height railings are meant to complete passage ways equipped with full height turnstiles of RTD-15 series. Used in combination with RTD-15 full height turnstiles/full height security gates, they will ensure a completely enclosed secure passage area.

With high corrosion protection of the aluminum alloy frame the railings will withstand many years of harsh environmental exposure.

Options

The MB-15 full height railings can be used together with extension sections and middle post sections to fill the smaller gaps between the full height elements to make the passage even more secure. Purposely designed brackets and mounting plates will properly connect all the elements (full height security gates, turnstiles and railings) in one robust secure construction.

Materials and Finishes

Frame – powder coated aluminum.

Sandpaper powder coating with pearl mica effect:



light beige