



5000 Series Eclipse range

Hands Free Video Monitors

Video monitors from the 5000 Series Eclipse range can be identified by the new compact design, high quality 3.5" TFT LCD colour display and "hands free" speech (Half duplex or simplex depending on the model). All video monitors (with the exception of the Art.SL5488N) will operate using coax or balanced (twisted pair) video signals.




All models in the 5000 Series Eclipse range have 6 function buttons and 8 control buttons; "door open", "answer/recall" and "privacy" buttons are common in all models, the remaining buttons will vary depending on the model. Among the 8 control buttons 4 are reserved to adjust picture "brightness" and "hue", the other 4 are used to adjust "loudspeaker volume" "call tone volume" and to select the melody and adjust the melody volume depending on the model.

All Eclipse models are supplied as surface mounting only, but flush mounting kits are available. In order to install these units it is necessary to first fix the base of the video monitor containing the connection PCB on the wall, make all necessary connections then connect the flat cable which connects the video monitor to the connection PCB, replace the cover hooking it onto the upper part and fix in place using the supplied screw.

The Eclipse range also includes a VANDAL RESISTANT LINE.

The vandal resistant Eclipse is available for the VX2200 digital system only (Art.VR5478). The design differs in appearance to that of the standard Eclipse having a 2.5mm thick stainless steel fascia and is flush mount only.

With the exception of the SL5488N and VR5478, all other models from the 5000 Series can be ordered with memory board facility to allow the storing and playing back of still images captured with a time and date stamp of the call.



5000 Series Eclipse range

Hands Free Video Monitors



Art. SL5418N+5981N
Art. SL5478N+5981N
Art. SL5488N+5981N



Art. SL5418N
Art. SL5478N
Art. SL5488N

Slim line

Art. VIDEO MONITORS FOR TRADITIONAL VIDEO DOOR ENTRY SYSTEMS USING COAX OR BALANCED VIDEO SIGNAL

SL5418N Hands free video monitor using 3.5" full colour active matrix LCD monitor, with "door open", "answer/camera recall", "privacy on/off" buttons all with LED* indication and 3 additional service buttons. Controls: loudspeaker volume, call tone volume, picture brightness and hue. Programmable number of rings, privacy duration, door opening time and video mode. Input for electronic call tone and active low input for local bell. Also available in a version with memory board. To order suffix "/MV" to the product code.

Art. HANDS FREE VIDEO MONITORS FOR VX2200 DIGITAL SYSTEM USING COAX OR BALANCED VIDEO SIGNAL

SL5478N Hands free video monitor using 3.5" full colour active matrix LCD monitor, with "door open/concierge call", "answer/camera recall", "privacy on/off" buttons all with LED* indication and 3 additional service buttons. Controls: loudspeaker volume, call tone volume, picture brightness and hue. Programmable number of rings, melody, privacy duration and video mode. Electronic call tone generated by the unit plus active low inputs for local bell and alarm. Also available in a version with memory board. To order suffix "/MV" to the product code.


Art. HANDS FREE VIDEO MONITORS FOR VX2300 TWO WIRE BUS DIGITAL SYSTEM

SL5488N Hands free video monitor using 3.5" full colour active matrix LCD monitor, with "door open/concierge call", "answer/camera recall", "privacy on/off" buttons all with LED* indication and 3 additional service buttons. Controls: loudspeaker volume, call tone volume, picture brightness and hue. Programmable number of rings, melody, privacy duration and video mode. Electronic call tone generated by the unit plus active low inputs for local bell and alarm.

** The operation of some LED's and the functions described may require additional cabling*

5000 Series Eclipse range

Hands Free Video Monitors



Art. VR5478

Vandal Resistant line

Art. **HANDS FREE VIDEO MONITORS FOR VX2200 DIGITAL SYSTEM USING COAX OR BALANCED VIDEO SIGNAL**

VR5478 Intelligent Hands free video monitor using 3.5" full colour active matrix LCD OSD monitor for VX2200 digital video door entry systems using composite (coax cable) or balanced (twisted pair) video signal. Equipped with a vandal proof 2.5 mm stainless steel plate. Including 3 buttons "door-open/concierge-call", "answer/camera recall/push to talk", "privacy/call reject/service" plus 3 LED's* for visual indication of all functions. Adjustments & programmable options (through OSD menu): loudspeaker volume, call tone volume, picture contrast, brightness and hue, privacy duration, call tone melody, number of rings. Address and video mode are programmable through 2 dip-switch banks. Also includes a local bell function.


** The operation of some LED's and the functions described may require additional cabling*

5000 SERIES VIDEO MONITORS WITH MEMORY BOARD


As the 3000 Series, memory board facility is also available on the 5000 Series (except Art. VR5478). Video monitors having a memory board can record up to 512 pictures (from the camera video) showing the date and time of recording. Recording can be both automatically (by pressing the corresponding push button and indicated by its LED) and manually. In the first case the videophone stores a frame when a call is made (so while the user is away, from home he can have a record of the visitors who's called with the date and time of the visit). Manual recording, instead, allows to record a frame at each button pression. When all memory locations are full, the oldest record will be overwritten (First in first out). When the memory board is required in 5000 Series video monitors (Art. SL5418N, SL5456, SL5478N and SL5488N), S1, S2 and ● ● buttons are no longer used as service buttons, but they are used for the memory board. In these video monitors, date, brightness, contrast and hue settings can be done through OSD menu (On Screen Display). To order video monitors with memory board facility (for those models where it is available), suffix "/MV" to the product code.

5000 Series Eclipse range


Hands Free Video Monitors




Art. 5980



Art. 5981N



Art. 5983N



Art. 5931



Art. VRV983

STAINLESS STEEL

Art. ACCESSORY HANDS FREE VIDEO MONITORS

5980 Mounting plate and pcb connection board for surface eclipse video monitors (standard range). One required to fix a surface eclipse to the wall and make connections.


5981N Flush mounting kit for hands free eclipse video monitors (standard and slim range) comprised of flush box, fixing brackets, covering frame and pcb connection board.

5983N Flush mounting kit (for dry line walls) for hands free eclipse video monitors (standard and slim range) comprised of fixing brackets, covering frame and pcb connection board.

5931 Table desktop kit for 5000 Series hands free videophones complete with cable and wall socket. It's made in 3 mm brushed stainless steel. Dimensions: 116 X 169 X 126 mm.

VRV983 Dry line wall flush mounting box for 5000 Series vandal resistant hands free video monitor Art.VR5178.

Art. CR045G



Art. CR045W



DECORATIVE WALL PLATES

Decorative wall plates for 5000 Series SLIM line hands free video monitors. Available in two finishes: white CR045W and grey CR045G. The decorative wall plates do not require any fixing screws as the body of the videophone will secure the decorative plate when it is secured to its wall bracket/mounting plate.

5000 Series Eclipse range

Hands Free Video Monitors



Art. SL5418N/CA
Art. SL5478N/CA
Art. SL5488N/CA



Art. SL5418N/CA + 5981N/CA
Art. SL5478N/CA + 5981N/CA
Art. SL5488N/CA + 5981N/CA



Art. SL5418N/CR
Art. SL5478N/CR
Art. SL5488N/CR



Art. SL5418N/CR + 5981N/CR
Art. SL5478N/CR + 5981N/CR
Art. SL5488N/CR + 5981N/CR

5000 SERIES ECLIPSE LINE HANDS FREE VIDEO MONITORS FINISHES

In addition to standard white finish, Eclipse line video monitors, flush mounting kit and handset kit are available in two additional finishes:

- Carbon Fibre effect (add to the product code "/CA" when ordering).
- Silver Painting (add to the product code "/CR" when ordering).