

VX 1900SM



Force de maintien	> 9 000 N (~ 900 kgf)
Tension nominale	12 VDC
Courant nominal	300 mA
Contrôle de verrouillage	Oui
Contrôle de pos. de porte	Oui
EW > Pré-alarme	Oui
Dimensions (LxIxh) mm	128 x 21,6 x 25,7
Poids	~ 370 g



Holding force	> 9 000 N (~ 2 000 lbs)
Voltage	12 VDC
Current	300 mA
Locking Monitoring	Yes
Door position Monitoring	Yes
Early warning alarm	Yes
Sizes: LxWxH	128 x 21,6 x 25,7
Weight	~ 370 g




Houdkracht	> 9 000 N (~ 900 kgf)
Voltage	12 VDC
Stroomverbruik	300 mA
Signalisatie grendel	Ja
Signalisatie deurpositie	Ja
Voortijdig waarschuwingsalarm	Ja
Afmetingen: LxBxH	128 x 21,6 x 25,7
Gewicht	~ 370 g




Haltekraft	> 9 000 N (~ 900 kg)
Betriebsnennspannung	12 VDC
Nennstromaufnahme	300 mA
Zustandsmeldung Riegel	Ja
Zustandsmeldung Tür	Ja
Frühwarn-Alarm	Ja
Abmessungen: LxBxT	128 x 21,6 x 25,7
Gewicht	~ 370 g

Sliding Door Application



Swing Door Application



Armature Plate Assembly

